



GRADING LEGEND

---	PROPERTY BOUNDARY
---	PROPERTY LINE
---	EASEMENT
---	PROPOSED STORM SEWER
---	EXISTING CONTOUR MAJOR
---	PROPOSED CONTOUR MAJOR
---	PROPOSED CONTOUR MINOR
---	GRADING PHASE FABRIC SILT FENCE OR FILTERSOCK
---	GRADING PHASE FABRIC SILT FENCE OR FILTERSOCK
---	DIVERSION DITCH
---	HAYBALE SILT CHECK
---	DITCH CHECK
---	DRAINAGE DIRECTION

GRADING LEGEND

---	BUILDING FOOT BOUNDARY
---	ZONE OF DISTURBANCE
---	RETAINING WALL
---	STRIPPING STOCKPILE
---	SEED AND MULCH
---	EROSION CONTROL FABRIC AND/OR ACRYLIC POLYMER SEDIMENT CONTROL
---	STABILIZED CONSTRUCTION ENTRANCE
---	RP RAP

NOTES

1. MAINTAIN PERIMETER/INTERNAL SEDIMENT CONTROL STRUCTURES UNTIL UPSTREAM CONTRIBUTING AREA ARE PERMANENTLY STABILIZED WITH SEEDING/SODDING. ONCE STABILIZED SEDIMENT CONTROL STRUCTURES CAN BE PHASED FOR REMOVAL.
2. SEDIMENT POND REMOVAL CAN PROCEED AFTER 95% OF THE SITE AREA DRAINING TO POND HAS BEEN PERMANENTLY STABILIZED AND SUBSTITUTE SEDIMENT CONTROL MEASURES ARE INSTALLED (IF REQUIRED). EQUIPMENT MAINTENANCE/MATERIAL STORAGE AREA AND EQUIPMENT/CEMENT WASHOUT AREA SHOULD BE CONSTRUCTION IS COMPLETE. ALL MATERIALS AND DEBRIS FROM THESE AREAS SHALL BE REMOVED FROM THE JOB SITE AND DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS. HOLES, DEPRESSIONS OR OTHER GROUND DISTURBANCES FROM THESE AREAS SHALL BE GRADED, REPAIRED AND STABILIZED BY SEEDING OR SODDING.
3. PRIOR TO REMOVAL OF SEDIMENT BASINS ALL STORM SEWER PIPES DISCHARGING TO THE BASINS SHALL BE CLEANED.



ENGINEERING, INC.
 402 S. 10TH AVE., SUITE 201
 DENVER, CO 80202
 TEL: 303.733.4444 FAX: 303.733.4444

NO.	DATE	DESCRIPTION

BELLBROOK
 1000 S. 10TH AVE. AND HANCOCK STREET
 BELLBROOK, MISSOURI

**PHASE II
 POST CONSTRUCTION**
 OVERLIE GRADING, EROSION AND SEDIMENT CONTROL

PROJECT NO.: 08-00254
 DATE: 08/08/08
 DESIGNED BY: MMS
 DRAWN BY: MMS
 CHECKED BY: MMS
 SHEET NO.: 8 OF 9

**MICHAEL D. SEKON
 C-9960**

**PHASE 2
 POST-CONSTRUCTION**