

IF AN AREA WILL NOT BE ACTIVELY WORKED WITHIN SEVEN DAYS, TEMPORARY SITE STABILIZATION SHALL BE COMPLETED.  
 TEMPORARY SEEDING ITEMS SHALL INCLUDE MULTIPLE MOBILIZATION COSTS.  
 TOPSOIL PLACEMENT AND FINE GRADING SHALL BE PRIOR TO SEEDING. ENGINEER OR THEIR REPRESENTATIVE EROSION CONTROL BLANKET (S-16) OR APPROVED EQUAL SHALL BE INSTALLED ON ALL 3:1 SLOPES.

EXISTING MAJOR CONTOUR  
 EXISTING MINOR CONTOUR  
 PROPOSED MAJOR CONTOUR  
 PROPOSED MINOR CONTOUR


SWPPP SIGN: REF. DETAIL SHEET  
 CONCRETE WASHOUT AREA  
 TEMPORARY CULVERT  
 NOTE: CONTRACTOR SHALL PROVIDE TEMPORARY DRAINAGE FROM BACKYARD LOW POINTS

INLET PROTECTION: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-10)  
 SILT FENCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-4 AND 9-5)  
 TEMPORARY DITCH CHECK / WATTLE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-52)  
 STABILIZED CONSTRUCTION ENTRANCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-3)  
 SEDIMENT BASIN  
 EROSION CONTROL BLANKET: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-47)

NOTE: STREET DRAINAGE SHALL BE UPDATED WITH PUBLIC DESIGN OF STORM SEWER



FILE NO. GRAV0137810	11	16
<b>EROSION CONTROL PLAN</b>		
<b>BRIDGEPORT DEVELOPMENT SAPPY COUNTY, NEBRASKA</b>		
PHONE: 320.228.4300 2200 25TH AVENUE SOUTH ST. CLOUD, MN 56302-1717 <a href="http://www.sehinc.com">www.sehinc.com</a>		
I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF NEBRASKA. RANDY B. JENKINS, P.E. Lic. No. E-15944 Date: 11/20/2016		
DESIGN TEAM	NO. BY	DATE
DRAWN BY: GS		
DESIGNED BY: RSJ		
CHECKED BY:		
REVISIONS		



IF AN AREA WILL NOT BE ACTIVELY WORKED WITHIN SEVEN DAYS OF THE COMPLETION OF TEMPORARY SITE STABILIZATION SHALL BE COMPLETED.


TEMPORARY SEEDING ITEMS SHALL INCLUDE MULTIPLE MOBILIZATION COSTS.


TOPSOIL PLACEMENT AND FINE GRADING SHALL BE COMPLETED PRIOR TO SEEDING.


EROSION CONTROL BLANKET (5-15) OR APPROVED EQUAL SHALL BE INSTALLED ON ALL 3:1 SLOPES.

NOTE: STREET DRAINAGE SHALL BE UPDATED WITH PUBLIC DESIGN OF STORM SEWER


EXISTING MAJOR CONTOUR  
 --- 1150 ---  
 --- 1152 ---  
 --- 1150 ---  
 --- 1152 ---


SWPPP SIGN: REF DETAIL SHEET  
 SWPPP SIGN: REF DETAIL SHEET


CONCRETE WASHOUT AREA  
 CONCRETE WASHOUT AREA


TEMPORARY CULVERT  
 TEMPORARY CULVERT


NOTE: CONTRACTOR SHALL PROVIDE TEMPORARY DRAINAGE FROM BACKYARD LOW POINTS


INLET PROTECTION: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-10)  
 INLET PROTECTION: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-10)

SILT FENCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-4 AND 9-5)  
 SILT FENCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-4 AND 9-5)

TEMPORARY DITCH CHECK / WATTLE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-52)  
 TEMPORARY DITCH CHECK / WATTLE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-52)

STABILIZED CONSTRUCTION ENTRANCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-3)  
 STABILIZED CONSTRUCTION ENTRANCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-3)

SEDIMENT BASIN  
 SEDIMENT BASIN


EROSION CONTROL BLANKET: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG 9-47)  
 EROSION CONTROL BLANKET: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG 9-47)



FILE NO. GRAV0137810	12	16
<b>EROSION CONTROL PLAN</b>		
<b>BRIDGEPORT DEVELOPMENT SAPPY COUNTY, NEBRASKA</b>		
PHONE: 320.228.4300 1200 25TH AVENUE SOUTH ST. CLOUD, MN 56302-1717 <a href="http://www.sehinc.com">www.sehinc.com</a>		
<b>SEH</b>		
I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF NEBRASKA. RANDY B. JENKINS, P.E. Lic. No. E-15934L Date: 11/20/2016		
DESIGN TEAM	NO. BY	DATE
DRAWN BY: EAT		
DESIGNER: GS		
CHECKED BY: RBJ		
REVISIONS		

**LEGEND**

- INLET PROTECTION: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-10)
- SILT FENCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-4 AND 9-5)
- TEMPORARY DITCH CHECK / WATTLE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-52)
- STABILIZED CONSTRUCTION ENTRANCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-3)
- SEDIMENT BASIN
- EROSION CONTROL BLANKET: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-47)
- SWPPP SIGN: REF. DETAIL SHEET
- CONCRETE WASHOUT AREA
- TEMPORARY CULVERT
- NOTE: CONTRACTOR SHALL PROVIDE TEMPORARY DRAINAGE FROM BACKYARD LOW POINTS
- EXISTING MAJOR CONTOUR
- EXISTING MINOR CONTOUR
- PROPOSED MAJOR CONTOUR
- PROPOSED MINOR CONTOUR



NOTE: STREET DRAINAGE SHALL BE UPDATED WITH PUBLIC DESIGN OF STORM SEWER

DRAWN BY: <u>GS</u> DESIGNER: <u>RSJ</u> CHECKED BY: _____ DESIGN TEAM: _____	NO. BY: _____ DATE: _____ REVISIONS: _____	I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE BOARD OF ENGINEERS OF NEBRASKA. <b>SEH</b> RANDY B. JENKINS, P.E. Lic. No. E-15944 Date: 11/20/2016	BRIDGEPORT DEVELOPMENT SAPPY COUNTY, NEBRASKA PHONE: 320.228.4300 2200 25TH AVENUE SOUTH ST. CLOUD, MN 56302-1717 www.sehinc.com	EROSION CONTROL PLAN FILE NO. GRAV0137810 13 16
--	---	--	--	--



**LEGEND**

- INLET PROTECTION: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-10)
- SILT FENCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-4 AND 9-5)
- TEMPORARY DITCH CHECK / WATTLE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-52)
- STABILIZED CONSTRUCTION ENTRANCE: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-3)
- SEDIMENT BASIN
- EROSION CONTROL BLANKET: REF. OMAHA REGIONAL STORMWATER MANUAL (FIG. 9-47)
- SWPPP SIGN: REF. DETAIL SHEET
- CONCRETE WASHOUT AREA
- TEMPORARY CULVERT
- EXISTING MAJOR CONTOUR
- EXISTING MINOR CONTOUR
- PROPOSED MAJOR CONTOUR
- PROPOSED MINOR CONTOUR

NOTE: CONTRACTOR SHALL PROVIDE TEMPORARY DRAINAGE FROM BACKYARD LOW POINTS

NOTE: STREET DRAINAGE SHALL BE UPDATED WITH PUBLIC DESIGN OF STORM SEWER

IF AN AREA WILL NOT BE ACTIVELY WORKED WITHIN SEVEN DAYS OF THE TEMPORARY SITE STABILIZATION SHALL BE COMPLETED  
 TEMPORARY SEEDING ITEMS SHALL INCLUDE MULTIPLE MOBILIZATION COSTS.  
 TOPSOIL PLACEMENT AND FINE GRADING SHALL BE COMPLETED PRIOR TO SEEDING.  
 EROSION CONTROL BLANKET (S-16) OR APPROVED EQUAL SHALL BE INSTALLED ON ALL 3:1 SLOPES



DRAWN BY: <u>  GS  </u> DESIGNER: <u>  RSJ  </u> CHECKED BY: <u>          </u>	NO. BY: <u>          </u> DATE: <u>          </u>	REVISIONS <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>							<b>EROSION CONTROL PLAN</b>
<b>BRIDGEPORT DEVELOPMENT SAPPY COUNTY, NEBRASKA</b>									
PHONE: 320.228.4300 1200 25TH AVENUE SOUTH ST. CLOUD, MN 56302-1717 www.saffinc.com									
I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER UNDER THE BOARD OF ENGINEERS OF NEBRASKA. RANDY B. JENKINS, P.E. Lic. No. E-15944 Date: 11/07/2016									
FILE NO.	14								
GRAV0137810	16								