



GRADING & EROSION LEGEND

- Property Line
- Adjacent Property Line
- - - Easement
- Limits of Construction
- ▭ Building
- Exist. Major Contours
- Exist. Minor Contours
- Prop. Major Contours
- Prop. Minor Contours
- SF Silt Fence
- SW Straw Wattle
- Earth Diversion Berm
- Flow Direction
- ▨ Erosion Control Matting
- ▨ Flex-a-Mat (142 x 15)
- ▨ Delineated Wellands
- ST Storm Sewer
- ▭ Construction Entrance

SEDIMENT & EROSION CONTROL BMP IMPLEMENTATION SCHEDULE

ID	BMP	INSTALL	REMOVE
CE-#	Construction Entrance	Prior to Land Disturbance	Immediately prior to drive paving
SG-#	SWPPP Sign/Notice	Prior to Land Disturbance	Following final stabilization
SF-#	Silt Fence	Prior to Stripping	After final seeding is established
SW-#	Straw Wattle	Prior to Stripping	After final seeding is established
EM-#	Type I Erosion Control Blanket	With Rough Grading	N/A
DV-#	Earth Diversion Berm	With Rough Grading	After final seeding is established

BENCHMARK:
BENCHMARK #1: SANITARY SEWER MANHOLE AT WEST END OF W MADISON AVENUE.
 ELEV: 1200.98' (NAVD 1988)
BENCHMARK #2: STORM SEWER GRATE INLET AT WEST END OF W CLEVELAND AVENUE.
 ELEV: 1190.18' (NAVD 1988)



NPDES TRACKING NUMBER: CSW-202308260

E & A CONSULTING GROUP, INC.
 Engineering • Planning • Environmental & Field Services
 701 O Street, Suite 400 Lincoln, NE 68508
 Phone: 402.420.7217 Fax: 402.420.7218
 www.eaacg.com
 State of NE Certificate of Authorization #CA0008

E & A CONSULTING GROUP, INC.
 Engineering Answers
 LINCOLN, NEBRASKA

HIDDEN ACRES ADDITION SWPPP

SWPPP

JOSEPH D. BRAKENHOFF
 E-18775
 06/20/20

Revision Description Date
 2022/10/01
 11/03/2023
 Designed By: JDR
 Drawn By: JDR
 Scale: 1"=AS SHOWN
 Sheet: 3 of 7
 Joe Brakenhoff 409204.433.PN K:\Projects\2023\HID\Engineering\CAD\Rev\DWG\SWPPP-000.dwg